

#### GBL GUL BIYOLOJI LABORATUVARI SANAYI VE TICARET ANONIM SIRKETI

HQ: Serifali Mah. Hattat Sk. No:10 P.O.: 34775 Umraniye Istanbul TURKIYE Factory: Dudullu OSB Mah. IMES C Blok 305 Sk. No:16 P.O.: 34775 Umraniye Istanbul TURKIYE

📞 +90 216 364 15 00 • 🔀 export@gbl.com.tr • 🌐 www.gbl.com.tr

## INSTRUCTION FOR USE

Disinfectant Liquid Soap; Chlorhexidine 4%

**PRODUCT NAME**: Disinfectant Liquid Soap; Chlorhexidine 4%

TRADEMARK : MANOHEX™ SOAP

**PRODUCT REF NO:** 6163



PACKING TYPE	ORDER NO		
500 ml PET; Bottle	436163210500		
1 Liter PET; Bottle	436163221000		
5 Liter HDPE; Canister	436163025000		

**INTENDED USE:** Preoperative hand antisepsis in healthcare professionals to inactivate microorganisms (normal and transient flora) present on the hands and forearms. Skin cleanser for preoperative skin preparation, general skin cleanser for patients; surgical scrub and antiseptic hand rinse for healthcare personnel. Patient preoperative skin preparation, surgical hand scrubbing, healthcare personnel hand hygiene and general skin cleansing.

## **PRODUCT SPECIFICATION**

Form	Liquid, viscous
Color	Red
Odor	Flower scent
pH @ 25°C	6.0±0.3

#### **COMPOSITION**

Chlorhexidine gluconate 4%, benzalkonium chloride, didecyl dimethyl ammonium chloride, vitamin E, antioxidants, surfactants, lubricants, moisturizers, lanolin, glycerin, and distilled water.

#### **CONTRAINDICATIONS**

It should not be used on open skin wounds or if you are allergic to chlorhexidine gluconate.

#### **HOW TO USE**

<u>Surgical scrub:</u> Scrub hands and forearms with 6 mL soap for 3 minutes paying close attention to nails, cuticles, and interdigital spaces, and rinse thoroughly. Apply a second dose 6 mL and scrub the hands and forearms for an additional 3 minutes. Then rinse thoroughly with running water and dry with a sterile towel.

Hand antisepsis: Wash with 6 mL soap for 15 seconds; rinse thoroughly with water and dry.

## **WARNINGS AND POTENTIAL ADVERSE EFFECTS**

For external use only, avoid contact with the eyes, ears, or mouth. Keep out of the reach of children. Keep out of eyes, ears, and mouth. Do not routinely apply to wounds that involve more than superficial layers of skin. Do not use if you have allergies to chlorhexidine gluconate. Avoid contact with meninges (i.e., do not use on lumbar puncture sites).

Doc. No: IFU EN 6163

First Issue Date: 04.09.2023 / Rev No: 00



GBL GUL BIYOLOJI LABORATUVARI SANAYI VE TICARET ANONIM SIRKETI

HQ: Serifali Mah. Hattat Sk. No:10 P.O.: 34775 Umraniye Istanbul TURKIYE Factory: Dudullu OSB Mah. IMES C Blok 305 Sk. No:16 P.O.: 34775 Umraniye Istanbul TURKIYE

🕻 +90 216 364 15 00 • 🔀 export@gbl.com.tr • 🌐 www.gbl.com.tr

# **STABILITY AND STORAGE**

Store in its original packaging, without direct sunlight, in a shady environment. Keep it tightly closed and in a well-ventilated environment.

Storage Temperature	Shelf Life	Usage Time After Opening the Cap		
5/25 °C	2 years	3 months		

# **PACKAGING**

Product	ORDER NO	Packaging Type	Packaging Units	
MANOHEX™ SOAP	436163210500	500 ml PET; Bottle	500 ml x 48	
MANOHEX™ SOAP	436163221000	1 Liter PET; Bottle	1.000 ml x 24	
MANOHEX™ SOAP	436163025000	5 Liter HDPE; Canister	5000 ml x 2	

# **LABEL SYMBOL KEYS**

REF	Catalog Number	Production Date	Storage Temperature	Manufacturer Information
LOT	Batch Code	Expiry Date	Refer to User Guide	Recycling Information

## **MANUFACTURER**



## GBL® Gül Biyoloji Laboratuvarı Sanayi ve Ticaret Anonim Şirketi

HQ: Serifali Mah. Hattat Sk. No:10 P.O.: 34775 Ümraniye İstanbul TÜRKİYE

Factory: Dudullu OSB Mah. IMES C Blok 305 Sk. No:16 P.O.: 34775 Ümraniye İstanbul TÜRKİYE

Phone: 0216 364 15 00 Email: export@gbl.com.tr Web: www.gbl.com.tr

Doc. No: IFU EN 6163

2/2 First Issue Date: 04.09.2023 / Rev No: 00